

DELPHION

Log Out

Work Files

Saved Searches

RESEARCH

My Account

PRODUCTS

INSIDE DELPHION

Select OR

Stop Tracking

No active trail

Search: Quick/Number Boolean Advanced Derwent

Help


Get Now: ☒ PDF | [File History](#) | [Other choices](#)

Tools: [Add to Work File](#): [Add](#)

View: [INPADOC](#) | [Jump to:](#) [Top](#) | [Go to:](#) [Derwent](#) | ☐ [Email this to a friend](#)

The Delphion Integrated View

🔍 Title:	JP08068184A2: ARCHITECTURAL PANEL
🔍 Derwent Title:	Composite panel for kitchen, and bathroom units - has face plate bonded to steel sheet using adhesive, and sheet connected to structure through clip or screw [Derwent Record]
🔍 Country:	JP Japan
🔍 Kind:	A
🔍 Inventor:	AKIMOTO YUKIO;
🔍 Assignee:	ASK:KK News, Profiles, Stocks and More about this company.
🔍 Published / Filed:	1996-03-12 / 1994-08-30
🔍 Application Number:	JP1994000205451
🔍 IPC Code:	IPC-7: E04F 13/14 ; E04C 2/28 ; E04C 2/30 ; E04F 13/08 ;
🔍 Priority Number:	1994-08-30 JP1994000205451
🔍 Abstract:	<p>PURPOSE: To obtain a thin architectural panel, which can be manufactured at low cost and which has the sufficient strength, by adhering a steel plate to the back surface of a surface plate with the adhesive agent so that both ends of the steel plate can be fitted to a bedding member.</p> <p>CONSTITUTION: Surface plates 2, 2 are made of plaster board, cement board or fiber reinforced cement board, which is reinforced by organic, inorganic or wood fiber. Steel plates 3, 3 made of vinyl chloride steel plate or zinc plated steel plate, which are formed into the flat plate or the plate with rib or wave, projecting part or</p>




recessed part or groove, are provided. The steel plate 3 is adhered to the back surface of the surface plate 2, and both ends 3a of the steel plate 3 are fitted to a bedding member 5 by using a fixing member 4 such as a screw. Or, both ends of the steel plate 3 are bent at a nearly right angle so as to form the bend parts 6, 6, and this bend part 6 is fitted in a groove 8 of a beam-like clip 7 having the groove-like cross section so as to connect both the panels 1 for fixation.

COPYRIGHT: (C)1996,JPO

Family: None

Other Abstract Info: DERABS G96-196990 DERG96-196990



[Nominate this for the Gallery...](#)

THOMSON

Subscriptions | Web Seminars | Privacy | Terms & Conditions | Site Map | Contact Us | Help

Copyright © 1997-2006 The Thomson Corporation

5

6

的に示す断面部分図である。

【図7】この発明の建築用パネルの第7の実施例を模式的に示す断面部分図である。

【図8】この発明の建築用パネルの第8の実施例を模式的に示す断面部分図である。

【図9】この発明の建築用パネルの第9の実施例を模式的に示す断面部分図である。


【図10】この発明の建築用パネルの第10の実施例を模式的に示す断面部分図である。

【符号の説明】


1 建築用パネル
2 面板

3 鋼板
4 固着部材
5 下地部材
6 屈曲部
7 クリップ
8 溝部
9 固着部材
9a 固着部材
9b 固着部材
10 シーリング材
12 突条部
14 突部


【図1】




【図2】




【図3】




【図4】




【図5】




【図6】



【図7】



【図8】



【図9】

